

# Multiscale Modelling of Cement-Based Materials II

Project Manager  
Dr. Mohammadreza Izadifar

Researchers  
Nicolas Castrillon Valencia

Principal Investigator  
Dr. sc. Neven Ukrainczyk

Project Term  
2022 - 2023

Clusters  
Lichtenberg II Cluster Darmstadt

Software  
LAMMPS, MATLAB, VASP

Institute  
Institut für Werkstoffe im Bauwesen

University  
Technische Universität Darmstadt




Figure 1: (a) Formation of Si-O-Si and Si-O-Al bonds which respect the  $\beta$  angle and tetrahedral geometrical constraints. (b) The final status of the simulation with particles, clusters, and pore distributions arrangements. (c) Activation energy ( $E_B - E_A$ ) and optimized geometric structures of the hydrolysis dissolution reaction: reactant (A), transition state (B) and products (C).

## Introduction

The project aims to develop a bridging model that connects the nanoscale to the upscaled levels for understanding the chemical reaction mechanisms in cement-based and geopolymer-based materials. This involves utilizing atomistic modeling techniques such as ab-initio (DFT), molecular dynamics (using meta-MD and ReaxFF) to gain insights into the underlying processes. Upscaled modeling approaches like atomistic kinetic Monte Carlo (kMC) and Coarse-Grained Metropolis Monte Carlo are used to quantify and validate reaction rates and surface interface chemistry. Additionally, mesoscale methods such as Finite Element and Finite Difference, along with phase-field modeling, are employed to study reactive transport mechanisms under different environmental conditions.

## Methods

Atomistic modeling approaches, including ab initio Vienna simulation package (VASP) for self-consistent computations and equilibrium DFT for different configurations as well as Molecular Dynamics (MD, ReaxFF) via LAMMPS package, are employed in

these projects. For upscaled coarse-graining modeling, kinetic Monte Carlo (kMC) using an in-house MATLAB code and off-lattice coarse-grained Monte Carlo (CGMC) methods are utilized.

## Results

In [1], MD calculations enabled to obtain the activation energies for the identified atomistic events, which can be used to calculate the atomistic reaction rates employing a transition state theory. In [2], the calculated atomistic forward reaction rates based on [1] were computed for 21 different event scenarios. To observe the effect of crystal defects on the dissolution rates, a comparison was drawn with the ideal crystal morphology. In [3], 3D off-lattice coarse-grained Monte Carlo (CGMC) model has been implemented for studying the nucleation of alkaline aluminosilicate gel (Figure 1A) for the silicate-activated system. Therein, typical geopolymer monomer species are coarse-grained as different particle types, to compute the gel structure evolution with geopolymerisation reaction advancement. In [4], the activation energy for computing atomistic reaction rates was determined for the dissolution of silicate tetrahedra from metakaolin precursors under far-from-equilibrium conditions. This computation was based on the transition-state theory using the DFT computational approach.

## Discussion

It has been observed that certain facets of belite clinker are found more reactive during the initial hydration stage, while less reactive compared to the alite clinker mineral. This is due to the crystal structure, absence of free oxygen and higher number of silicate crystal sites [1]. Moreover, the layer-by-layer dissolution mechanism observed could also explain the slow reactivity of belite clinker [2], as well as some alite crystal planes. The on-lattice CGMC model developed in [3], was in better agreement with the Gaussian distribution and the measurement results than the off-lattice approach. The results obtained from [3-5] provide missing inputs for further upscaling investigations. These investigations aim to establish a comprehensive database for coarse-grained (and/or kinetic) Monte Carlo simulation, considering various input chemistries and for calculating the materials mechanical properties.

## Publications

[1] Salah Uddin, K.M.; Izadifar, M.; Ukrainczyk, N.; Koenders, E.; Middendorf, B.: "Dissolution of  $\beta$ -C2S Cement Clinker: Part 1 Molecular Dynamics (MD) Approach for Different Crystal Facets." Materials 2022, 15, 6388. <https://doi.org/10.3390/ma15186388>

[2] Izadifar, M.; Ukrainczyk, N.; Salah Uddin, K.M.; Middendorf, B.; Koenders, E.: "Dissolution of Portlandite in Pure Water: Part 2 Atomistic Kinetic Monte Carlo (KMC) Approach." Materials 2022, 15, 1442. <https://doi.org/10.3390/ma15041442>

[3] Izadifar, M.; Valencia, N.C.; Xiao, P.; Ukrainczyk, N.; Koenders, E.: "3D Off-Lattice Coarse-Grained Monte Carlo Simulations for Nucleation of Alkaline Aluminosilicate Gels." Materials 2023, 16, 1863. <https://doi.org/10.3390/ma16051863>

[4] Izadifar, M.; Ukrainczyk, N.; Koenders, E.: "Silicate Dissolution Mechanism from Metakaolinite Using Density Functional Theory." Nanomaterials 2023, 13, 1196 <https://doi.org/10.3390/nano13071196>

[5] Salah Uddin K.M.; Izadifar M.; Ukrainczyk N.; Koenders E.; Middendorf B, Atomistic dissolution of  $\beta$ -C2S cement clinker crystal surface: Part 1 Molecular Dynamics (MD) Approach. In SynerCrete'23, The International RILEM Conference on Synergising expertise towards sustainability and robustness of cement-based materials and concrete structures, Milos Island, Greece, 14-16 June; M. Azenha, F. Benboudjema, D. Schlicke, Eds.; RILEM Publications: Paris - France, 2023.

*Last Update:* 2023-06-14 12:22