

# Numerical Simulation of Nucleate Boiling in Microgravity

Project Manager  
Johannes Kind

Principal Investigator  
Prof. Dr.-Ing. Peter Stephan

Project Term  
2024 - 2025

Clusters  
Lichtenberg II Cluster Darmstadt

Software  
OpenFOAM

Institute  
Institute for Technical  
Thermodynamics

University  
Technische Universität Darmstadt




Figure 1: Accumulation of non-condensable gases in the vapor bubble.

## Introduction

Nucleate boiling is a very efficient heat transfer mechanism. It is used in a wide variety of applications on Earth, such as energy conversion or chemical processes. Due to its high efficiency nucleate boiling is also a promising process for the cooling of electronic components in space applications. The comparison of popular correlations on the prediction of the heat transfer in nucleate boiling respectively the underlying single bubble growth demonstrates that further research is required to achieve a general understanding of the single bubble growth process, especially in microgravity. Nucleate boiling resp. single bubble growth is highly complex, as it involves mass, momentum and heat transfer on different temporal and spatial scales. Therefore, the numerical simulation of this process is quite challenging and requires lots of computational power. The High Performance Computer enables us to perform mesh studies, parametric studies and analyses with high resolution.

## Methods

We use a modified multiphase Volume-of-Fluid solver from the numerical toolbox OpenFOAM. It includes the modeling of a.o. accurate interface reconstruction and advection, phase change and conjugate heat transfer. With the default Volume-of-Fluid method, the conjugate heat transfer and phase change in the vicinity of the three-phase contact line are not modeled in a physical way. Therefore, two new models were developed and validated, which result in significantly enhanced agreement with experimental results.

## Results

The OpenFOAM solver with the newly developed models was validated against experimental results from the Multiscale Boiling Project (RUBI) on the ISS. There, single bubble growth is studied in detail. Various configurations of subcooling, heater heat flux and preheating time were selected for the comparison of the experimental results with the numerical results. Satisfactory agreement was not achieved initially. As a probable

reasons the suspected presence of non-condensable gases in the experiment was identified. These gases flow from the evaporator zone near the bubble foot towards the condenser zone near the bubble top, where they accumulate over time and hinder further condensation. This phenomenon results in a stronger overall bubble growth than without non-condensable gases. A workaround for the inclusion of the effect of non-condensable gases was introduced, resulting in a significantly better agreement.

## Discussion

With the validation of both the numerical solver and of the numerical setup the selected cases were analyzed. Besides the heat transfer paths also the efficiencies in heat transfer between the selected cases were compared. It is found that the cases with moderate to small bubble growth are superior to cases with strong bubble growth in terms of removed heat. This finding can be translated to a recommendation for technical devices which utilize single bubble growth respectively nucleate boiling. Using a multitude of comparatively smaller bubbles is more beneficial than using a few, large bubbles.

## Publications

Kind, J.: "Multiphase and multiregion simulations with phase change in OpenFOAM: Fundamentals & Hands-On", International Workshop on Multiphase Flows and Applications to Heat Transfer, IIT Madras in Chennai, January 06-07, 2025

Kind, J.: "Investigations on heat transfer during single bubble growth in microgravity with OpenFOAM", Annual meeting of the DECHEMA group "Heat and Mass Transfer", Stuttgart, March 10-12, 2025

## Reference

Kind, J. Sielaff, A.; Stephan, P.: "Physical modeling of conjugate heat transfer for multiregion and multiphase systems with the Volume-of-Fluid method", In: Engineering with Computers, Springer, ISSN 1435-5663 (2024) <https://doi.org/10.1007/s00366-024-02051-6>

Sontheimer, H.; Kind, J.; Stephan, P.; Gambaryan-Roisman, T.: "Numerical simulation of drop array impingement onto a superheated wall", Shanghai, Shanghai Jiao Tong University, ICLASS 2024, 16th Triennial International Conference on Liquid Atomization and Spray Systems, Shanghai, China, June 23-27, 2024 <https://doi.org/10.26083/tuprints-00027601>

Kind, J.: "Modeling of heat & mass transfer near the contact line in boiling with the Volume-of-Fluid method", Annual meeting of the DECHEMA group "Heat and Mass Transfer", Magdeburg, March 11-13, 2024

Kind, J.: "Physical modeling of heat & mass transfer near the contact line with the Volume-of-Fluid method", International Symposium on Advances in Computational Heat Transfer, Istanbul, May 27-31, 2024

**Last Update:** 2025-04-14 15:38